

# FLEX GUARD™-FM SAFETY DATA SHEET

PART A



# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name FLEX GUARD-FM PART A (1:1)

Revision Date 01-2019
Product Code RE2120 A

Company Stag Technologies, 564 W. 9320 S., Sandy, UT 84070

Company Contact Matthew Peterson
Company Phone 844-STAGTEC

Emergency Domestic Shipments and to Canada: 1-800-633-8253

International Shipments: 1-801-629-0667

# 2. HAZARDS IDENTIFICATION

GHS Ratings:

Skin corrosive 3 Reversible adverse effects in dermal tissue, Draize score:

>=1.5 < 2.3

Skin sensitizer 1 Skin sensitizer

Carcinogen 2 Limited evidence of human or animal carcinogenicity

**GHS** Hazards

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction
H351 Suspected of causing cancer

**GHS** Precautions

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and

understood

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the

workplace

P280 Wear protective gloves/protective clothing/eye protection/face

protection

P281 Use personal protective equipment as required

P321 Specific treatment (see ... on this label)
P363 Wash contaminated clothing before reuse
P302+P352 IF ON SKIN: Wash with soap and water



P308+P313 IF exposed or concerned: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

If skin irritation or a rash occurs: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container to ...

Signal Word Warning



P332+P313

P333+P313

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name CAS number Weight Concentration %

Epoxy Resin 25085-99-8 87.70%

 Titanium Dioxide
 13463-67-7
 5.00% - 10.00%

 Proprietary
 68609-97-2
 1.00% - 5.00%

 Silica
 67762-90-7
 1.00% - 5.00%

# 4. FIRST AID MEASURE

If inhaled remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms. Rinse immediately with plenty of water for at least 15 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue rinsing. Get medical attention, if irritation or symptoms of overexposure persists. Immediately wash skin with soap and plenty of water. If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

# 5. FIRE FIGHTING MEASURES

Flash Point N/A
LEL N/A
UEL N/A

Not applicable

Foam, Carbon dioxide (CO2) or dry chemical or water spray (water stream may be ineffective) .

No information available

Not available

Firefighters, and others exposed, wear self-contained breathing apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

Stop leak. Dike or contain spill. Pump into slavage tanks and/or absorb with suitable material. Use sparkless shovel to remove material. Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use appropriate containment and clean up immediately. Corrosive. Avoid personal contact and breathing vapor or mist. Stop leak, Dike and contain spill. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.

# 7. HANDLING AND STORAGE

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Avoid exposure to heat, light, and air for prolonged periods of time. Store in a cool, dry well ventilated area away from sources of heat and incompatable materials. Eliminate all ignition materials and incompatible materials. Collect spill with non spark tools. No information available.





# 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name / CAS No. Epoxy Resin 25085-99-8

OSHA Exposure Limits

ACGIH Exposure Limits

Not Established.

Other Exposure Limits

Not Established.

Chemical Name / CAS No. Titanium Dioxide 13463-67-7 OSHA Exposure Limits 15 mg/m³ TWA (total dust)

ACGIH Exposure Limits 10 mg/m³ TWA
Other Exposure Limits Not Established.

Chemical Name / CAS No. Proprietary 68609-97-2

OSHA Exposure Limits

ACGIH Exposure Limits

Not Established.

Not Established.

Not Established.

Chemical Name / CAS No. Silica 67762-90-7
OSHA Exposure Limits Not Established.
ACGIH Exposure Limits Not Established.
Other Exposure Limits Not Established.

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended Always use adaquate ventilation that comply with local regulations.

Eye/face Protection Wear appropriate protective glasses or splash goggles as

described by 29 CFR 1910.133, OSHA eye and face rotection

reulation, or the Europena.

Skin Protection Chemical-resistant gloves and chemical goggles, face-shield and

synthetic apron or coveralls should be used to prevent contact

with eyes, skin or clothing.

Respiratory Protection A NIOSH air purifying respirator with an organic vapor cartridge

or canister may be permissible under certain circumstances

where airborne.

# 9. PHYSICAL & CHEMICAL PROPERTIES

Boiling Range 2500 to 3000°C

Specific Gravity (SG) 1.200
Lbs VOC/Gallon Less Water 0.00
Lbs VOC/Gallon Less Exempt 0.00
% VOL by Volume 0.00

#### 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stable, Hazardous polymeraization will not occur. STABLE. Strong acids, caustics, oxidixers, Avoid uncontrolled exposure to Epoxy Resin, Amine. No Data Found. None known, other than Sec. #2 and Sec #5. Hazardous polymerization will not occur.

# 11. TOXICOLOGICAL INFORMATION

Mixture Toxicity

Component Toxicity

No Data Found

No Data Found





Effects of Overexposure

Avoid breathing vapors

CAS Number 13463-67-7
Description Titanium Dioxide

% Weight 5 to 10%

Carcinogen Rating Titanium Dioxide: NIOSH: potential occupational carcinogen,

IARC: Possible human carcinogen, OSHA: listed

Oral N.D.A.
Dermal N.D.A.
Inhalation N.D.A.

#### 12. ECOLOGICAL INFORMATION

No ecotoxicity data was found for the product.

Component Ecotoxicity

# 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

# 14. TRANSPORT INFORMATION

UN3082 Environmentally Hazardous Substance, Liquid N.O.S. (Epoxy Resin)

Packaging Group III:

Hazardous Class 9

# 15. REGULATORY INFORMATION

OSHA:29 CFR 1910.1200 Haxardous Chemical "Irritant", Sensitizer

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: 13463-67-7 Titanium Dioxide 5 to 10 % Carcinogen

Country EU Safety Phrase None

Regulation All Components Listed

REACH (EU) SUBSTANCES OF VERY HIGH CONCERN No Toxic Substance Control Act (TSCA) Yes

# 16. OTHER INFORMATION

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1

Flammability: 0

Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of

our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.