



Powered by  
**STAG**  
technologies  
A VORTEX COMPANY

# I&I GUARD™ SAFETY DATA SHEET

PART B



**REPAIR  
MATERIALS**

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	<b>I&amp;I Guard Foam APK 3.1:1-2</b>
Revision Date	02-2019
Product Code	I&I Guard APK
Company	Stag Technologies, 564 W. 9320 S., Sandy, UT 84070
Company Contact	Matthew Peterson
Company Phone	844-STAGTEC
Emergency	Domestic Shipments and to Canada: 1-800-633-8253 International Shipments: 1-801-629-0667

## 2. HAZARDS IDENTIFICATION

GHS Ratings:

Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >=2.3 < 4.0 or persistent inflammation
Eye corrosive	2B	Mild eye irritant: Subcategory 2B, Reversible in 7 days
Respiratory sensitizer	1	Respiratory sensitizer
Skin sensitizer	1B	Skin sensitizer
Carcinogen	2	Limited evidence of human or animal carcinogenicity

GHS Hazards

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H351	Suspected of causing cancer

GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash ... thoroughly after handling
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation wear respiratory protection.
P321	Specific treatment (see ... on this label).
P330	Rinse mouth.
P362	Take off contaminated clothing and wash before reuse.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists, get medical advice/attention.
P342+P311	Call a POISON CENTER or doctor/physician.
P405	Store locked up.
P501	Dispose of contents/container to ...
Signal Word	Danger



**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Catalyst	98-94-2	1.00% - 5.00%
Proprietary	6846-50-0	1.00% - 5.00%

**4. FIRST AID MEASURE**

If inhaled remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms. Rinse immediately with plenty of water for at least 15 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue Rinsing. Get medical attention, if irritation or symptoms of overexposure persists. Immediately wash skin with soap and plenty of water. If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## 5. FIRE FIGHTING MEASURES

Flash Point	N/A
LEL	N/A
UEL	N/A
Not applicable	
Foam, Carbon dioxide (CO <sub>2</sub> ) or dry chemical or water spray (water stream may be ineffective).	
No information available	
Not available	
Extinguishing Media	In case of fire use the following suitable extinguishing agent.

In case of fire, the following can be released:

Nitrogen Oxide (NO<sub>x</sub>)  
Carbon Dioxide  
Carbon Monoxide (CO)

Firefighters, and others exposed, wear self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

Stop leak. Dike or contain spill. Pump into slavage tanks and/or absorb with suitable material. Use sparkless shovel to remove material. Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use appropriate containment and clean up immediately. Stop leak, Dike and contain spill. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.

## 7. HANDLING AND STORAGE

Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Avoid exposure to heat, light, and air for prolonged periods of time. Store in a cool, dry well ventilated area away from sources of heat and incompatible materials. Eliminate all ignition materials and incompatible materials. Collect spill with non spark tools. No information available.

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name / CAS No.	Catalyst 98-94-2
OSHA Exposure Limits	Not Established.
ACGIH Exposure Limits	Not Established.
Other Exposure Limits	Not Established.
Chemical Name / CAS No.	PROPRIETARY 6846-50-0
OSHA Exposure Limits	Not Established.
ACGIH Exposure Limits	Not Established.
Other Exposure Limits	Not Established.

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended Always use adequate ventilation that comply with local regulations.

Eye/face Protection	Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European.
---------------------	--

Skin Protection	Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.
Respiratory Protection	A NIOSH air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne.

**9. PHYSICAL & CHEMICAL PROPERTIES**

Boiling Range	100 to 282°C
Specific Gravity (SG)	1.058
Lbs VOC/Gallon Less Water	0.04
Lbs VOC/Gallon Less Exempt	0.04
% VOL by Volume	0.04

**10. CHEMICAL STABILITY & REACTIVITY INFORMATION**

Stable, Hazardous polymerization will not occur. STABLE. Oxidizing Agents. No Data Found. None known, other than Sec. #2 and Sec #5. Hazardous polymerization will not occur.

**11. TOXICOLOGICAL INFORMATION**

Mixture Toxicity	
Component Toxicity	
Oral	N.D.A.
Dermal	N.D.A.
Inhalation	N.D.A.

**12. ECOLOGICAL INFORMATION**

No ecotoxicity data was found for the product.

**13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

**14. TRANSPORT INFORMATION**

UN- Number	Not Applicable
DOT, ADR, IMDG, IATA	Not Applicable
Packaging Group	Not Applicable
Hazard Class	Not Applicable

**15. REGULATORY INFORMATION**

EPCRA-Emergency Planning and Community Right-to-Know-Act

SARA 311/312 Hazards: Acute Health Hazards

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING!

This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

111-46-6 2,2' -oxybisethanol; diethylene glycol 1.5 %

The following chemicals are classified under SARA 313 Toxic Release Inventory (TRI):

111-46-6 2,2' -oxybisethanol; diethylene glycol 1.5 %

Country EU  
 Safety Phrase None

Regulation All Components Listed  
 REACH (EU) SUBSTANCES OF VERY HIGH CONCERN No  
 Toxic Substance Control Act (TSCA) No

**16. OTHER INFORMATION**

Further information HMIS® is a registered trade and service mark of the NPCA.  
 HMIS® ratings Health: 2

Flammability: 1  
 Physical hazard: 1

NFPA ratings Health: 2  
 Flammability: 1

Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

